

# NetArc®

## Co-Location Racks

### 2-4 Tier Levels



## Data Centre Solutions & Services

Protecting Your Network with  
racks, power, CREMS, access  
control & analysis



## NetArc® Co-Location Server Racks

The Over IP Group NetArc® Co-Location Server rack was inspired by some of the top industry leading IT & Facility Managers in Australia. Designed with strength and longevity in mind, it is available in 2 tier, 3 tier and 4 tier offerings.

### Specifications

**19" Mounting Standards:** Dimensions that are critical in ensuring compatibility between server racks & panel/equipment mounting. Compliance with centre to centre hole mount dimensions, vertical and horizontal spacing.

- |  |   |  |
|--|---|--|
| <ul style="list-style-type: none"> <li>ANSI &amp; EIA: RS-310-D</li> <li>IEC297-2</li> <li>DIN41494 : PART 1</li> <li>DIN41494: PART 7 Standard</li> </ul> |  Signal Black<br> Silver Grey |  Light Cream / Beige<br> Pure White<br><i>*Other provided on request</i> |
|--|---|--|

#### Load Capacity

- Static = 1200kg (up to, depending on size)
- Dynamic = 900kg (up to, depending on size)

#### Material

- |                      |                        |
|----------------------|------------------------|
| • Panels             | SPCC cold rolled steel |
| • 19" mounting rails | = 2.0mm                |
| • Frame              | = Up to 4.5mm          |

#### Surface Finishes

- |                |  |
|----------------|--|
| • Frame        | Degreasing, phosphoric, dip-coat primed, powder coated black or grey |
| • Other Panels | Degreasing, phosphoric & powder coated black or grey                 |

#### Available Sizes

- |               |  |
|---------------|--|
| • Heights     | 24U, 42U, 47U (other heights please enquire within for custom fabrication) |
| • Widths (mm) | 600 , 800 (other heights please enquire within for custom fabrication)     |
| • Depths (mm) | 600, 800, 1000, 1200 (other heights please enquire within)                 |
| • Tiers       | 2, 3, 4  |

#### Doors Fitted

Curved Perforated, Split Perforated, Solid, Split Solid, Glass

#### Side Panel Fitted

Full Side Panel per side or split version


### Comes with:

- |                         |                              |                                  |
|-------------------------|------------------------------|----------------------------------|
| • Welded Frame (1000kg) | • ID labels                  | • 2 x side panels                |
| • Top cover             | • Front door                 | • Earthing on all panels         |
| • 19inch mounting rails | • Split rear door            | • Castor wheels, adjustable feet |
| • Cable Trays           | • Security Cable Tray Covers | • Security horizontal divider    |

Full or Split Doors Available


Up to 24U more rack units  
(800mm wide racks only)

Security Cable Tray per tier




Security Door Handle

Castor wheels and Adjustable feel



Horizontal Security Panel

Fully welded frame





# Data Centre Solutions & Services

