

Fibre Raceway


For the Data Centre

& Industrial Sector



Data Centre Solutions & Services

Protecting Your Network with
racks, power, CREMS, access
control & analysis




Overview

The Fibre Raceway system is designed to protect & route optical fibre cable from the network cabinets/ODF to the equipment on the computer room/industrial floor.


Flame retardant rated at GB/T2048-2008 FV-0

Made of PVC and ABS plastics






Dimension:

- Height: 100mm
- Width: 120mm
- Length: 2000mm




Fiber loading capacity




	2mm Fiber	3mm Fiber
	955	424
	1433	636
	1910	848

Dimension:

- Height: 100mm
- Width: 240mm
- Length: 2000mm



Fiber loading capacity

	2mm Fiber	3mm Fiber
	1910	849
	2866	1273
	3821	1698


Connector




Horizontal 90° Bend




Horizontal Tee




Horizontal Cross




240 to 120 Vertical T



240 to 120 Level T



Reducer




Trumpet Spillout







External Riser 45°



Internal Riser 45°



End Cap



Movable Cable Exit Kit With Tube







Big Movable Cable Exit Kit




Cabinet top stand




Hanging Set







Fiber runner cover




90° Cover



Horizontal T cover



Horizontal cross cover




240-120 Horizontal T cover



45° Cover





Internal riser cover



External riser cover



Recuder cover



Data Centre Solutions & Services

